




Lunan Valley Area Dunkeld - Blairgowrie Lochs Special Area of Conservation

Planning advice in relation to phosphorus and foul drainage in the
catchment area

Contents

1	Introduction	1
2	The Importance of Dunkeld - Blairgowrie Lochs	1
3	The Nutrient Problem at Dunkeld - Blairgowrie Lochs SPA	2
4	Planning Authorities' Obligations	2
5	Proposals that may Affect Dunkeld - Blairgowrie Lochs SPA	3
6	Phosphorus Mitigation Checklist	4
7	Submitting a Planning Application	5
8	Phosphorus Mitigation Calculation	6
9	Additional Points for Phosphorus Mitigation	6
10	Why 125%?	7
11	SEPA Authorisation	7
12	Before Development Can Commence	8
13	Further Considerations	8
14	Contact	9



All images in this document are credited to NatureScot.

1 Introduction

This guidance aims to assist anyone submitting planning applications which are:

- *within the Lunan Lochs Catchment Area*
- *which could affect the water quality of Dunkeld–Blairgowrie Lochs Special Area of Conservation (SAC).*

The guidance provides advice on the types of appropriate information and safeguards to be provided in support of your planning application so that it can be properly and timeously assessed by Perth & Kinross Council, and includes:


- An explanation of planning authorities' obligations when evaluating planning applications;
- Advice on the nature of developments that may affect the Lunan Lochs Catchment Area; and

Examples of information which you need to submit with your planning application and application for a foul water discharge licence under **The Water Environment (Controlled Activities) (Scotland) Regulations 2011 (as amended)** (CAR) – there is a flow chart on page 4 taking you through the key questions and answers/solutions.

This guidance relates specifically to water quality of the Dunkeld-Blairgowrie Lochs SAC and phosphorus entering the loch's catchment. There may be other qualifying features of the SAC which could be affected by development proposals e.g. disturbance to otters or habitat change.

2 The Importance of the Dunkeld - Blairgowrie Lochs

The Dunkeld-Blairgowrie Lochs consists of a chain of five kettle hole lochs that are of international importance for their aquatic habitats and species, including slender naiad. The site has the highest wildlife accolade as it is designated as an SAC and is part of the Natura 2000 network – a series of internationally important wildlife sites throughout the European Union.



3 The Nutrient Problem at the Dunkeld - Blairgowrie Lochs

Nutrients such as phosphorus entering the loch catchment from manmade sources have caused problems with water quality for many years. Elevated nutrient levels in warmer months can lead to cyanobacteria or blue-green algae blooms. These bacteria can be toxic to people, pets, livestock and wildlife. An algal bloom can therefore result in a loss of amenity as the public have to avoid the lochs until the bloom has passed and may also result in fish and potentially livestock deaths. As the bloom subsides and the algae breaks down there is an associated depletion in the oxygen level in the loch which will have a further damaging effect on the loch ecosystem.

Much work has been undertaken over the last decade to reduce the input of phosphorus into the lochs. Recent monitoring has shown this is leading to an improvement in the ecological quality of the loch. However, this improvement is still vulnerable to setbacks so there is a continuing need to reduce both phosphorus inputs to the lochs.

The aim is therefore to ensure that there is no increase of phosphorus in the Dunkeld- Blairgowrie Lochs catchment arising from waste water associated with new developments. If there is an increase in phosphorus discharging to the loch, there could be a detrimental effect on water quality, and a knock-on effect for ecology.

4 Planning Authorities' Obligations

The European legislation under which sites are selected as SACs is the Habitats Directive, which sets out obligations on Member States to take appropriate steps to avoid “the deterioration of natural habitats and the habitats of species as well as disturbance of the species for which the areas have been designated, in so far as such disturbance could be significant.”

These obligations relate to “Competent Authorities” such as Planning Authorities.

Planning Authorities can only agree to development proposals after having ascertained that they will not adversely affect the integrity of the site. If the proposal would affect the site and there are no alternative solutions, it can only be allowed to proceed if there are imperative reasons of overriding public interest.

Perth and Kinross Council apply Policy 45: Lunan Lochs Catchment Area¹ as laid out in Local Development Plan 2 to assist them in their consideration of a development proposal.


¹ Dunkeld-Blairgowrie Lochs SAC catchment and the Lunan Valley Catchment Area are coincident.

5 Proposed Projects that May Affect the Dunkeld- Blairgowrie Lochs SAC

New developments, conversions or extensions where the potential capacity to house people is being increased may impact on the Dunkeld - Blairgowrie SAC.

If the proposed development lies in the catchment as shown by the red line on the map, you may be required to provide phosphorus mitigation for your development, as detailed in the sections below.

The map is a guide – if a development is near the border confirmation should be sought as to whether it is within the Lunan Lochs catchment.



6 Phosphorus Mitigation Checklist

Is the proposal for a new development, conversion or extension where the potential capacity for housing people being increased; and does the new development have any phosphorus discharge (e.g. foul water drainage, sewage, septic tank or sink discharges)?

Yes

No

Will the drainage be diverted outwith the catchment area?

Yes

Submit normal planning application

No

Phosphorus Mitigation Proposals

Drainage must be put in place mitigation that is capable of removing 125% of phosphorus likely to be generated by the development from the Lunan Lochs catchment (Policy 45) and apply to SEPA for a licence to discharge. See section 8 for a worked example of phosphorus mitigation.

Acceptable forms of phosphorus mitigation

Upgrade the septic tank of an existing property within the catchment area to an active system that reduces phosphorus (secondary/tertiary treatment plant) - this may be with a third party.

Unacceptable forms of phosphorus mitigation

- Change in agricultural practice;
- Change in land use;
- Using “capacity” from a previous application.

7 Submitting a Planning Application

With your full planning application or AMM (approval of matters specified in conditions) you will need to provide details of:

- a. the proposed development;
- b. an existing property to be upgraded – which has not already been identified as mitigation for another planning application;
- c. phosphorus mitigation calculations – include numbers of potential bedrooms of all properties, and methods of drainage (primary/secondary/tertiary treatment plant).¹ Treatment plant should conform to BS EN 12566:3 and have demonstrated its phosphorus reduction capabilities. You will need to demonstrate that the total phosphorus loading from the existing property can be reduced by at least 125% of the phosphorus loading likely to be generated by the new development (Policy 44) – see worked example overleaf

Any treatment plant should conform to BS EN 12566:3 and have demonstrated its phosphorus reduction capabilities in accordance with this standard. To obtain certification to EN12566,3 plants must undergo rigorous independent testing which results in a documented mean discharge standard. The mean standard in the EN12566:3 certificate is a clear and unambiguous assessment of the performance of the plants, and is used in CAR licences for unsampled licenced sewage discharges (i.e. discharges of less than 200 PE). EN12566:3 is normally used to assess performance against BOD and ammonia, but can also be used to assess performance against total phosphorus.

- Discharge from all the properties will require authorisation by SEPA under The Water Environment (Controlled Activities) (Scotland) Regulations 2011 (as amended) (CAR) who will set discharge limits through licensing. The licensing process has a 4 month determination period from the date of application. Progressing the CAR applications at the same time as the planning application will ensure an applicant is aware of whether a proposed scheme is capable of being consented under CAR. (see section 11 below).
- The discharge limits set by SEPA must be complied with at all times.
- Foul water treatment plants need to be frequently maintained to work properly and discharge within the licensed limits. Evidence of regular maintenance contracts must be provided as part of the SEPA water use licence.
- Sites which will not connect to the Scottish Water Network which have 50>p.e. should contact SEPA at the earliest opportunity as additional investigatory work will be required prior to a discharge licence application being submitted.
- In cases of great complexity or uncertainty the Precautionary Principle will be adopted. The assumption being that where there are real threats of damage to the environment, lack of scientific information should not be used as a justification for postponing measures to prevent such damage occurring.

1. The latest version of **British Water Code of Practice - Flows and Loads** has details of loadings from a variety of sources

8 Phosphorus Mitigation Calculation: worked example²

Background	
Average amount of water per person per day	150 L
Primary treatment: septic tank, standard discharge of phosphorus as a mean	10mgP/L
Daily discharge of phosphorus per person	1500mgP
Secondary treatment: package treatment plan as a mean	5mgP/L
Daily discharge of phosphorus per person	750mgP
Proposed Development	
3 bedroom house in Person Equivalent (PE) Secondary treatment to be installed	5 PE 5mgP/L
Daily Discharge of phosphorus (750mgP x 5PE)	3750mgP/day
Phosphorus Mitigation	
Mitigation required is 125% of P discharged from new development: 125% x 3750mgP/day	x125%
Proposed mitigation to upgrade septic tank for named 5 bedroom house (7PE) to secondary treatment plant	
Existing discharge 150L x 10mgP/L x 7PE	10,500mgP/day
Discharge after upgrade@5mgP/L: 750mgP x 7PE	5,250mgP/day
Mitigation offered: 10,500mgP/day - 5250mgP/day Mitigation in excess of requirement	5250mgP/day

9 Additional Points for Phosphorus Mitigation Proposals

Existing properties should not be removed from a larger foul drainage treatment system to provide mitigation for a new development. The applicant should seek to upgrade the larger system in its entirety, regardless of how much in excess of 125% mitigation value this provides. Also, wherever possible, applicants should seek to use a single treatment system for a proposed multi-property development, rather than separate systems for individual properties.

Any novel proposals where mitigation is not from a single existing property, should be discussed with SEPA at the earliest stage possible, in order to ensure the proposal is acceptable.

For the purposes of mitigation, ascribed values will be used for calculations, where a septic tank is assumed to discharge 10mg/l of phosphorus, and an existing secondary treatment system 5mg/l. New treatment system discharge standards will be based on the system being installed. Alternatives to the ascribed values may be considered where there is adequate historical data which meets approved quality standards. In these cases contact should be made with SEPA at the earliest opportunity. Please note that we do not accept any discharge quality standard below 2mg/l at present.

Mitigation of an existing system can only be linked to a development at full planning stage. SEPA will only comment on phosphorus mitigation proposals at full planning application stage.

2. Calculations based on British Water Code of Practice "Flows & Loads - Sizing Criteria, Treatment Capacity for Small Wastewater Treatment Systems

10 Why 125%?

Bearing in mind the Precautionary Principle and the fact that the measurement of potential phosphorus output is not an exact science, then mitigation measures must seek to exclude from the catchment area in excess of the phosphorus likely to be generated by the proposed development in order to be sure that there is no net increase.



11 SEPA Authorisation

SEPA regulates discharges to water and land under The Water Environment (Controlled Activities) (Scotland) Regulations 2011 (as amended) (CAR). All CAR Registration level private sewage discharges in the Lunan Lochs catchment area will be escalated to simple licence level, to allow adequate assessment of the discharge. Progressing the CAR applications at the same time as the planning application will ensure the applicant is aware of whether a proposed scheme is capable of being consented under CAR.

Please note that additional authorisation for development activities adjacent to, and in the vicinity of watercourses may be required under the Controlled Activities Regulations. A higher level of licence protection may also be required for activities that may impact on the loch SPA, such as engineering works in inland waters, water abstraction, impoundment or discharge to land and water. Any such authorisation will also need to first consider the effects on the SPA.

For details on these activities including CAR requirements see www.sepa.org.uk/regulations/water/

Activities should also comply with:

- SEPA's Pollution Prevention Guidance including: GPP4 Treatment and disposal of wastewater where there is no connection to the public foul sewer; and
- SEPA's Policy and Supporting Guidance on Provision of Waste Water Drainage in Settlements

12 Before Development Can Commence

Before development can commence you must:

- have obtained planning permission; and
- have obtained a CAR licence(s) under the Water Environment (Controlled Activities)(Scotland) Regulations 2011 (as amended) for the foul water discharge of the development; including for any remote mitigation property.
- submit copies of the CAR licence(s) to the Planning Authority;
- have a receipt for the above documentation from the Planning Authority.

Where phosphorus mitigation measures are to be delivered at a location separate from the development site then before the development can commence:

- the phosphorus mitigation measures must be installed using a treatment system which delivers the discharge quality standards specified in the mitigation calculations – and approved by Building Standards where a building warrant has been required; and
- evidence of the installation of the phosphorus mitigation measures must be provided to the Planning Authority such as installation invoices and photos of the treatment plant in place.

Before the completion certificate will be accepted and the new development can be occupied:

- The new drainage infrastructure installation at the development site must be approved by Building Standards as part of building warrant process.

13 Further Considerations

Other Impacts on the Lunan Lochs Designations

Although this guidance is specifically for the water quality of Dunkeld - Blairgowrie Lochs SAC, further information may be required of the impact of the development on the qualifying features and conservation objectives of the Loch. See:

- **NatureScot Guidance on Protection of Natura Sites**
- **NatureScot Sitelink** for further details on the Dunkeld - Blairgowrie Lochs SAC designations including conservation objectives.

Protected Habitats and Species

There may be other natural heritage interests such as protected species such as water voles, bats, otters and beavers affected by development proposals which also need to be considered. See Perth & Kinross Council's **Planning for Nature** guidance for more information on surveys that may be required.

Building Warrant

In addition to any planning consents that may be required, any development which includes an element of drainage will require building warrant approval. This process includes a requirement to submit detailed plans and specifications for the entire drainage system to show compliance with the Building (Scotland) Regulations 2004. See www.pkc.gov.uk/Buildingstandards

14 Contact

NatureScot, SEPA and Perth and Kinross Council are working closely to protect the interests of Dunkeld-Blairgowrie Lochs SPA a by reducing phosphorus loading on the lochs. Perth & Kinross Council are happy to assist you where required in submitting your application, including **pre-application discussion**.

Perth and Kinross Council

For planning enquiries:

- DevelopmentManagement@pkc.gov.uk
- www.pkc.gov.uk/makingaplanningapplication

For building warrant enquiries:

- BuildingStandards@pkc.gov.uk
- www.pkc.gov.uk/buildingstandards

Scottish Natural Heritage

- www.nature.scot
- tayside_grampian@nature.scot

Scottish Environment Protection Agency

- 0800 807060
- www.sepa.org.uk
- planning.se@sepa.org.uk

Scottish Water

- 0845 600 8855

If you or someone you know would like a copy of this document in another language or format, (on occasion, only a summary of the document will be provided in translation), this can be arranged by contacting the Customer Service Centre on 01738 475000.

You can also send us a text message on 07824 498145.

All Council Services can offer a telephone translation

www.pkc.gov.uk

(PKC Design Team - 2018619)